

HIV Infection Cases Reported during 2001
(from the 01/22/02 HARS data set)

Area = Texas

Age at Diagnosis * Sex Crosstabulation

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	15	7	22
		% within Sex	.5%	.6%	.5%
	1 (12-23 mo)	Count		2	2
		% within Sex		.2%	.0%
	2-4	Count	3		3
		% within Sex	.1%		.1%
	5-12	Count	2	3	5
		% within Sex	.1%	.3%	.1%
	13-19	Count	68	129	197
		% within Sex	2.2%	11.1%	4.6%
	20-24	Count	347	206	553
		% within Sex	11.3%	17.7%	13.0%
	25-29	Count	496	199	695
		% within Sex	16.1%	17.1%	16.4%
	30-39	Count	1273	357	1630
		% within Sex	41.4%	30.7%	38.4%
	40-49	Count	650	182	832
		% within Sex	21.1%	15.6%	19.6%
	50-59	Count	180	66	246
		% within Sex	5.8%	5.7%	5.8%
	60-69	Count	34	9	43
		% within Sex	1.1%	.8%	1.0%
	70+	Count	9	3	12
		% within Sex	.3%	.3%	.3%
	Unknown	Count	1		1
		% within Sex	.0%		.0%
Total		Count	3078	1163	4241
		% within Sex	100.0%	100.0%	100.0%

HIV Infection Cases Reported during 2001
(from the 01/22/02 HARS data set)

Race-Ethnicity * Sex Crosstabulation

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	1218	248	1466
		% within Sex	39.6%	21.3%	34.6%
	African American	Count	1102	705	1807
		% within Sex	35.8%	60.6%	42.6%
	Hispanic	Count	712	202	914
		% within Sex	23.1%	17.4%	21.6%
	Asian-Pacific Islander	Count	18	3	21
		% within Sex	.6%	.3%	.5%
	Am Indian-Alaskan	Count	7		7
		% within Sex	.2%		.2%
	Not Specified	Count	21	5	26
		% within Sex	.7%	.4%	.6%
	Total		3078	1163	4241
			100.0%	100.0%	100.0%

Mode of Exposure * Sex Crosstabulation

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	1514		1514
		% within Sex	49.2%		35.7%
	IDU	Count	383	239	622
		% within Sex	12.4%	20.6%	14.7%
	M-M & IDU	Count	214		214
		% within Sex	7.0%		5.0%
	Hemophiliac	Count	2		2
		% within Sex	.1%		.0%
	Heterosexual Contact	Count	163	420	583
		% within Sex	5.3%	36.1%	13.7%
	Transfusion	Count	5	10	15
		% within Sex	.2%	.9%	.4%
	Not Classified	Count	777	482	1259
		% within Sex	25.2%	41.4%	29.7%
	Ped Parent at Risk	Count	17	10	27
		% within Sex	.6%	.9%	.6%
	Ped Other-Undet	Count	3	2	5
		% within Sex	.1%	.2%	.1%
	Total		3078	1163	4241
			100.0%	100.0%	100.0%

HIV Infection Cases Reported during 2001
(from the 01/22/02 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	5	1461		1466
		% within Adult-Ped	15.6%	34.7%		34.6%
	African American	Count	15	1792		1807
		% within Adult-Ped	46.9%	42.6%		42.6%
	Hispanic	Count	12	901	1	914
		% within Adult-Ped	37.5%	21.4%	100.0%	21.6%
	Asian-Pacific Islander	Count		21		21
		% within Adult-Ped		.5%		.5%
	Am Indian-Alaskan	Count		7		7
		% within Adult-Ped		.2%		.2%
	Not Specified	Count		26		26
		% within Adult-Ped		.6%		.6%
Total		Count	32	4208	1	4241
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

Sex * Adult-Ped Crosstabulation

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	20	3057	1	3078
		% within Adult-Ped	62.5%	72.6%	100.0%	72.6%
	Female	Count	12	1151		1163
		% within Adult-Ped	37.5%	27.4%		27.4%
Total		Count	32	4208	1	4241
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

HIV Infection Cases Reported during 2000
(from the 01/22/02 HARS data set)

Area = Texas

Age at Diagnosis * Sex Crosstabulation

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	13	9	22
		% within Sex	.4%	.8%	.5%
	2-4	Count	1	1	2
		% within Sex	.0%	.1%	.0%
	5-12	Count	5	1	6
		% within Sex	.2%	.1%	.1%
	13-19	Count	51	141	192
		% within Sex	1.8%	12.0%	4.7%
	20-24	Count	290	225	515
		% within Sex	10.0%	19.2%	12.6%
	25-29	Count	554	213	767
		% within Sex	19.0%	18.2%	18.8%
	30-39	Count	1218	347	1565
		% within Sex	41.8%	29.6%	38.3%
	40-49	Count	579	170	749
		% within Sex	19.9%	14.5%	18.3%
	50-59	Count	159	46	205
		% within Sex	5.5%	3.9%	5.0%
	60-69	Count	30	12	42
		% within Sex	1.0%	1.0%	1.0%
70+	Count	6	5	11	
	% within Sex	.2%	.4%	.3%	
Unknown	Count	7	1	8	
	% within Sex	.2%	.1%	.2%	
Total	Count	2913	1171	4084	
	% within Sex	100.0%	100.0%	100.0%	

HIV Infection Cases Reported during 2000
(from the 01/22/02 HARS data set)

Race-Ethnicity * Sex Crosstabulation

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	1291	267	1558
		% within Sex	44.3%	22.8%	38.1%
	African American	Count	998	701	1699
		% within Sex	34.3%	59.9%	41.6%
	Hispanic	Count	600	198	798
		% within Sex	20.6%	16.9%	19.5%
	Asian-Pacific Islander	Count	12	2	14
		% within Sex	.4%	.2%	.3%
	Am Indian-Alaskan	Count	7	2	9
		% within Sex	.2%	.2%	.2%
	Not Specified	Count	5	1	6
		% within Sex	.2%	.1%	.1%
	Total		2913	1171	4084
			100.0%	100.0%	100.0%

Mode of Exposure * Sex Crosstabulation

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	1569		1569
		% within Sex	53.9%		38.4%
	IDU	Count	341	268	609
		% within Sex	11.7%	22.9%	14.9%
	M-M & IDU	Count	242		242
		% within Sex	8.3%		5.9%
	Hemophiliac	Count	4	2	6
		% within Sex	.1%	.2%	.1%
	Heterosexual Contact	Count	188	439	627
		% within Sex	6.5%	37.5%	15.4%
	Transfusion	Count	5	4	9
		% within Sex	.2%	.3%	.2%
	Not Classified	Count	545	447	992
		% within Sex	18.7%	38.2%	24.3%
	Ped Parent at Risk	Count	14	9	23
		% within Sex	.5%	.8%	.6%
	Ped Other-Undet	Count	5	2	7
		% within Sex	.2%	.2%	.2%
	Total		2913	1171	4084
			100.0%	100.0%	100.0%

HIV Infection Cases Reported during 2000
(from the 01/22/02 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	6	1545	7	1558
		% within Adult-Ped	20.0%	38.2%	87.5%	38.1%
	African American	Count	19	1680		1699
		% within Adult-Ped	63.3%	41.5%		41.6%
	Hispanic	Count	5	792	1	798
		% within Adult-Ped	16.7%	19.6%	12.5%	19.5%
	Asian-Pacific Islander	Count		14		14
		% within Adult-Ped		.3%		.3%
	Am Indian-Alaskan	Count		9		9
		% within Adult-Ped		.2%		.2%
	Not Specified	Count		6		6
		% within Adult-Ped		.1%		.1%
Total		Count	30	4046	8	4084
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

Sex * Adult-Ped Crosstabulation

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	19	2887	7	2913
		% within Adult-Ped	63.3%	71.4%	87.5%	71.3%
	Female	Count	11	1159	1	1171
		% within Adult-Ped	36.7%	28.6%	12.5%	28.7%
Total		Count	30	4046	8	4084
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

Cumulative HIV Infection Cases through 12/31/01
(from the 01/22/02 HARS data set)

Area = Texas

Age at Diagnosis * Sex Crosstabulation

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	95	80	175
		% within Sex	1.2%	2.5%	1.6%
	1 (12-23 mo)	Count	18	25	43
		% within Sex	.2%	.8%	.4%
	2-4	Count	24	20	44
		% within Sex	.3%	.6%	.4%
	5-12	Count	36	21	57
		% within Sex	.5%	.6%	.5%
	13-19	Count	149	355	504
		% within Sex	1.9%	10.9%	4.5%
	20-24	Count	827	597	1424
		% within Sex	10.5%	18.4%	12.8%
	25-29	Count	1373	561	1934
		% within Sex	17.4%	17.2%	17.4%
	30-39	Count	3255	947	4202
		% within Sex	41.3%	29.1%	37.8%
	40-49	Count	1571	470	2041
		% within Sex	19.9%	14.4%	18.3%
	50-59	Count	414	142	556
		% within Sex	5.3%	4.4%	5.0%
	60-69	Count	83	26	109
		% within Sex	1.1%	.8%	1.0%
	70+	Count	21	8	29
		% within Sex	.3%	.2%	.3%
	Unknown	Count	9	1	10
		% within Sex	.1%	.0%	.1%
Total		Count	7875	3253	11128
		% within Sex	100.0%	100.0%	100.0%

Cumulative HIV Infection Cases through 12/31/01
(from the 01/22/02 HARS data set)

Race-Ethnicity * Sex Crosstabulation

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	3208	724	3932
		% within Sex	40.7%	22.3%	35.3%
	African American	Count	2897	1966	4863
		% within Sex	36.8%	60.4%	43.7%
	Hispanic	Count	1668	539	2207
		% within Sex	21.2%	16.6%	19.8%
	Asian-Pacific Islander	Count	42	6	48
		% within Sex	.5%	.2%	.4%
	Am Indian-Alaskan	Count	19	4	23
		% within Sex	.2%	.1%	.2%
	Not Specified	Count	41	14	55
		% within Sex	.5%	.4%	.5%
	Total	Count	7875	3253	11128
		% within Sex	100.0%	100.0%	100.0%

Mode of Exposure * Sex Crosstabulation

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	3872		3872
		% within Sex	49.2%		34.8%
	IDU	Count	1039	709	1748
		% within Sex	13.2%	21.8%	15.7%
	M-M & IDU	Count	691		691
		% within Sex	8.8%		6.2%
	Hemophiliac	Count	8	2	10
		% within Sex	.1%	.1%	.1%
	Heterosexual Contact	Count	498	1237	1735
		% within Sex	6.3%	38.0%	15.6%
	Transfusion	Count	12	17	29
		% within Sex	.2%	.5%	.3%
	Not Classified	Count	1582	1142	2724
		% within Sex	20.1%	35.1%	24.5%
	Ped Hemophiliac	Count	11	1	12
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	140	130	270
		% within Sex	1.8%	4.0%	2.4%
	Ped Transfusion	Count	1	4	5
		% within Sex	.0%	.1%	.0%
	Ped Other-Undet	Count	21	11	32
		% within Sex	.3%	.3%	.3%
	Total	Count	7875	3253	11128
		% within Sex	100.0%	100.0%	100.0%

Cumulative HIV Infection Cases through 12/31/01
(from the 01/22/02 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	71	3854	7	3932
		% within Adult-Ped	22.3%	35.7%	70.0%	35.3%
	African American	Count	176	4687		4863
		% within Adult-Ped	55.2%	43.4%		43.7%
	Hispanic	Count	63	2141	3	2207
		% within Adult-Ped	19.7%	19.8%	30.0%	19.8%
	Asian-Pacific Islander	Count	1	47		48
		% within Adult-Ped	.3%	.4%		.4%
	Am Indian-Alaskan	Count		23		23
		% within Adult-Ped		.2%		.2%
	Not Specified	Count	8	47		55
		% within Adult-Ped	2.5%	.4%		.5%
Total	Count	319	10799	10	11128	
	% within Adult-Ped	100.0%	100.0%	100.0%	100.0%	

Sex * Adult-Ped Crosstabulation

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	173	7693	9	7875
		% within Adult-Ped	54.2%	71.2%	90.0%	70.8%
	Female	Count	146	3106	1	3253
		% within Adult-Ped	45.8%	28.8%	10.0%	29.2%
Total		Count	319	10799	10	11128
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

Living HIV Infection Cases through 12/31/01
(from the 01/22/02 HARS data set)

Area = Texas

Age at Diagnosis * Sex Crosstabulation

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	88	80	168
		% within Sex	1.1%	2.5%	1.5%
	1 (12-23 mo)	Count	18	25	43
		% within Sex	.2%	.8%	.4%
	2-4	Count	24	19	43
		% within Sex	.3%	.6%	.4%
	5-12	Count	34	19	53
		% within Sex	.4%	.6%	.5%
	13-19	Count	149	354	503
		% within Sex	1.9%	11.0%	4.6%
	20-24	Count	824	595	1419
		% within Sex	10.6%	18.5%	12.9%
	25-29	Count	1367	556	1923
		% within Sex	17.6%	17.3%	17.5%
	30-39	Count	3220	939	4159
		% within Sex	41.6%	29.2%	37.9%
	40-49	Count	1530	461	1991
		% within Sex	19.7%	14.3%	18.2%
	50-59	Count	389	137	526
		% within Sex	5.0%	4.3%	4.8%
	60-69	Count	79	25	104
		% within Sex	1.0%	.8%	.9%
	70+	Count	17	8	25
		% within Sex	.2%	.2%	.2%
	Unknown	Count	9	1	10
		% within Sex	.1%	.0%	.1%
Total		Count	7748	3219	10967
		% within Sex	100.0%	100.0%	100.0%

Living HIV Infection Cases through 12/31/01
(from the 01/22/02 HARS data set)

Current Age * Sex Crosstabulation

			Sex		Total
			Male	Female	
Current Age	0 (0-11 mo)	Count	8	2	10
		% within Sex	.1%	.1%	.1%
	1 (12-23 mo)	Count	7	8	15
		% within Sex	.1%	.2%	.1%
	2-4	Count	31	26	57
		% within Sex	.4%	.8%	.5%
	5-12	Count	86	90	176
		% within Sex	1.1%	2.8%	1.6%
	13-19	Count	57	138	195
		% within Sex	.7%	4.3%	1.8%
	20-24	Count	514	479	993
		% within Sex	6.6%	14.9%	9.1%
	25-29	Count	998	569	1567
		% within Sex	12.9%	17.7%	14.3%
	30-39	Count	3184	1059	4243
		% within Sex	41.1%	32.9%	38.7%
	40-49	Count	2108	611	2719
		% within Sex	27.2%	19.0%	24.8%
	50-59	Count	612	186	798
		% within Sex	7.9%	5.8%	7.3%
	60-69	Count	118	42	160
		% within Sex	1.5%	1.3%	1.5%
	70+	Count	22	8	30
		% within Sex	.3%	.2%	.3%
	Unknown	Count	3	1	4
		% within Sex	.0%	.0%	.0%
Total		Count	7748	3219	10967
		% within Sex	100.0%	100.0%	100.0%

Living HIV Infection Cases through 12/31/01
(from the 01/22/02 HARS data set)

Race-Ethnicity * Sex Crosstabulation

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	3157	714	3871
		% within Sex	40.7%	22.2%	35.3%
	African American	Count	2843	1945	4788
		% within Sex	36.7%	60.4%	43.7%
	Hispanic	Count	1648	536	2184
		% within Sex	21.3%	16.7%	19.9%
	Asian-Pacific Islander	Count	41	6	47
		% within Sex	.5%	.2%	.4%
	Am Indian-Alaskan	Count	18	4	22
		% within Sex	.2%	.1%	.2%
	Not Specified	Count	41	14	55
		% within Sex	.5%	.4%	.5%
	Total		7748	3219	10967
			100.0%	100.0%	100.0%

Mode of Exposure * Sex Crosstabulation

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	3828		3828
		% within Sex	49.4%		34.9%
	IDU	Count	1018	699	1717
		% within Sex	13.1%	21.7%	15.7%
	M-M & IDU	Count	681		681
		% within Sex	8.8%		6.2%
	Hemophiliac	Count	8	2	10
		% within Sex	.1%	.1%	.1%
	Heterosexual Contact	Count	491	1231	1722
		% within Sex	6.3%	38.2%	15.7%
	Transfusion	Count	12	17	29
		% within Sex	.2%	.5%	.3%
	Not Classified	Count	1546	1127	2673
		% within Sex	20.0%	35.0%	24.4%
	Ped Hemophiliac	Count	10	1	11
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	133	127	260
		% within Sex	1.7%	3.9%	2.4%
	Ped Transfusion	Count	1	4	5
		% within Sex	.0%	.1%	.0%
	Ped Other-Undet	Count	20	11	31
		% within Sex	.3%	.3%	.3%
	Total		7748	3219	10967
			100.0%	100.0%	100.0%

Living HIV Infection Cases through 12/31/01
(from the 01/22/02 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	66	3798	7	3871
		% within Adult-Ped	21.5%	35.7%	70.0%	35.3%
	African American	Count	169	4619		4788
		% within Adult-Ped	55.0%	43.4%		43.7%
	Hispanic	Count	63	2118	3	2184
		% within Adult-Ped	20.5%	19.9%	30.0%	19.9%
	Asian-Pacific Islander	Count	1	46		47
		% within Adult-Ped	.3%	.4%		.4%
	Am Indian-Alaskan	Count		22		22
		% within Adult-Ped		.2%		.2%
	Not Specified	Count	8	47		55
		% within Adult-Ped	2.6%	.4%		.5%
Total	Count	307	10650	10	10967	
	% within Adult-Ped	100.0%	100.0%	100.0%	100.0%	

Sex * Adult-Ped Crosstabulation

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	164	7575	9	7748
		% within Adult-Ped	53.4%	71.1%	90.0%	70.6%
	Female	Count	143	3075	1	3219
		% within Adult-Ped	46.6%	28.9%	10.0%	29.4%
Total		Count	307	10650	10	10967
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

AIDS Cases Reported during 2001
(from the 01/22/02 HARS data set)

Area = Texas

Age at Diagnosis * Sex Crosstabulation

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	2		2
		% within Sex	.1%		.1%
	2-4	Count	1		1
		% within Sex	.0%		.0%
	5-12	Count	1		1
		% within Sex	.0%		.0%
	13-19	Count	9	8	17
		% within Sex	.4%	1.2%	.6%
	20-24	Count	91	54	145
		% within Sex	3.9%	8.3%	4.9%
	25-29	Count	229	96	325
		% within Sex	9.8%	14.8%	10.9%
	30-39	Count	981	257	1238
		% within Sex	42.0%	39.7%	41.5%
	40-49	Count	733	157	890
		% within Sex	31.4%	24.3%	29.9%
	50-59	Count	219	54	273
		% within Sex	9.4%	8.3%	9.2%
	60-69	Count	52	16	68
		% within Sex	2.2%	2.5%	2.3%
	70+	Count	16	5	21
		% within Sex	.7%	.8%	.7%
Total	Count	2334	647	2981	
	% within Sex	100.0%	100.0%	100.0%	

AIDS Cases Reported during 2001
(from the 01/22/02 HARS data set)

Race-Ethnicity * Sex Crosstabulation

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	860	116	976
		% within Sex	36.8%	17.9%	32.7%
	African American	Count	761	394	1155
		% within Sex	32.6%	60.9%	38.7%
	Hispanic	Count	692	129	821
		% within Sex	29.6%	19.9%	27.5%
	Asian-Pacific Islander	Count	18	4	22
		% within Sex	.8%	.6%	.7%
	Am Indian-Alaskan	Count	1	2	3
		% within Sex	.0%	.3%	.1%
	Not Specified	Count	2	2	4
		% within Sex	.1%	.3%	.1%
	Total		2334	647	2981
			100.0%	100.0%	100.0%

Mode of Exposure * Sex Crosstabulation

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	1126		1126
		% within Sex	48.2%		37.8%
	IDU	Count	288	126	414
		% within Sex	12.3%	19.5%	13.9%
	M-M & IDU	Count	154		154
		% within Sex	6.6%		5.2%
	Hemophiliac	Count	4		4
		% within Sex	.2%		.1%
	Heterosexual Contact	Count	155	261	416
		% within Sex	6.6%	40.3%	14.0%
	Transfusion	Count	9	7	16
		% within Sex	.4%	1.1%	.5%
	Not Classified	Count	591	252	843
		% within Sex	25.3%	38.9%	28.3%
	Ped Hemophiliac	Count	2		2
		% within Sex	.1%		.1%
	Ped Parent at Risk	Count	4		4
		% within Sex	.2%		.1%
	Ped Transfusion	Count	1		1
		% within Sex	.0%		.0%
	Ped Other-Undet	Count		1	1
		% within Sex		.2%	.0%
	Total		2334	647	2981
			100.0%	100.0%	100.0%

AIDS Cases Reported during 2001
(from the 01/22/02 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	1	975	976
		% within Adult-Ped	25.0%	32.8%	32.7%
	African American	Count	2	1153	1155
		% within Adult-Ped	50.0%	38.7%	38.7%
	Hispanic	Count	1	820	821
		% within Adult-Ped	25.0%	27.5%	27.5%
	Asian-Pacific Islander	Count		22	22
		% within Adult-Ped		.7%	.7%
	Am Indian-Alaskan	Count		3	3
		% within Adult-Ped		.1%	.1%
	Not Specified	Count		4	4
		% within Adult-Ped		.1%	.1%
Total		Count	4	2977	2981
		% within Adult-Ped	100.0%	100.0%	100.0%

Sex * Adult-Ped Crosstabulation

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	4	2330	2334
		% within Adult-Ped	100.0%	78.3%	78.3%
	Female	Count		647	647
		% within Adult-Ped		21.7%	21.7%
Total		Count	4	2977	2981
		% within Adult-Ped	100.0%	100.0%	100.0%

AIDS Cases Reported during 2000
(from the 01/22/02 HARS data set)

Area = Texas

Age at Diagnosis * Sex Crosstabulation

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	2	2	4
		% within Sex	.1%	.4%	.1%
	1 (12-23 mo)	Count		1	1
		% within Sex		.2%	.0%
	2-4	Count		2	2
		% within Sex		.4%	.1%
	5-12	Count	1	3	4
		% within Sex	.0%	.5%	.1%
	13-19	Count	15	11	26
		% within Sex	.7%	2.0%	1.0%
	20-24	Count	74	46	120
		% within Sex	3.4%	8.3%	4.4%
	25-29	Count	236	99	335
		% within Sex	11.0%	17.9%	12.4%
	30-39	Count	972	207	1179
		% within Sex	45.1%	37.4%	43.6%
	40-49	Count	615	129	744
		% within Sex	28.6%	23.3%	27.5%
	50-59	Count	181	39	220
		% within Sex	8.4%	7.1%	8.1%
60-69	Count	48	12	60	
	% within Sex	2.2%	2.2%	2.2%	
70+	Count	10	2	12	
	% within Sex	.5%	.4%	.4%	
Total	Count	2154	553	2707	
	% within Sex	100.0%	100.0%	100.0%	

AIDS Cases Reported during 2000
(from the 01/22/02 HARS data set)

Race-Ethnicity * Sex Crosstabulation

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	863	126	989
		% within Sex	40.1%	22.8%	36.5%
	African American	Count	679	331	1010
		% within Sex	31.5%	59.9%	37.3%
	Hispanic	Count	596	91	687
		% within Sex	27.7%	16.5%	25.4%
	Asian-Pacific Islander	Count	7	4	11
		% within Sex	.3%	.7%	.4%
	Am Indian-Alaskan	Count	7	1	8
		% within Sex	.3%	.2%	.3%
	Not Specified	Count	2		2
		% within Sex	.1%		.1%
	Total		2154	553	2707
			100.0%	100.0%	100.0%

Mode of Exposure * Sex Crosstabulation

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	1152		1152
		% within Sex	53.5%		42.6%
	IDU	Count	252	147	399
		% within Sex	11.7%	26.6%	14.7%
	M-M & IDU	Count	173		173
		% within Sex	8.0%		6.4%
	Hemophiliac	Count	4		4
		% within Sex	.2%		.1%
	Heterosexual Contact	Count	117	184	301
		% within Sex	5.4%	33.3%	11.1%
	Transfusion	Count	19	15	34
		% within Sex	.9%	2.7%	1.3%
	Not Classified	Count	434	197	631
		% within Sex	20.1%	35.6%	23.3%
	Ped Parent at Risk	Count	3	10	13
		% within Sex	.1%	1.8%	.5%
	Total		2154	553	2707
			100.0%	100.0%	100.0%

AIDS Cases Reported during 2000
(from the 01/22/02 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	3	986	989
		% within Adult-Ped	27.3%	36.6%	36.5%
	African American	Count	5	1005	1010
		% within Adult-Ped	45.5%	37.3%	37.3%
	Hispanic	Count	3	684	687
		% within Adult-Ped	27.3%	25.4%	25.4%
	Asian-Pacific Islander	Count		11	11
		% within Adult-Ped		.4%	.4%
	Am Indian-Alaskan	Count		8	8
		% within Adult-Ped		.3%	.3%
	Not Specified	Count		2	2
		% within Adult-Ped		.1%	.1%
Total		Count	11	2696	2707
		% within Adult-Ped	100.0%	100.0%	100.0%

Sex * Adult-Ped Crosstabulation

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	3	2151	2154
		% within Adult-Ped	27.3%	79.8%	79.6%
	Female	Count	8	545	553
		% within Adult-Ped	72.7%	20.2%	20.4%
Total		Count	11	2696	2707
		% within Adult-Ped	100.0%	100.0%	100.0%

Cumulative AIDS Cases through 12/31/01
(from the 01/22/02 HARS data set)

Area = Texas

Age at Diagnosis * Sex Crosstabulation

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	75	70	145
		% within Sex	.1%	1.0%	.3%
	1 (12-23 mo)	Count	39	26	65
		% within Sex	.1%	.4%	.1%
	2-4	Count	36	50	86
		% within Sex	.1%	.7%	.2%
	5-12	Count	53	36	89
		% within Sex	.1%	.5%	.2%
	13-19	Count	238	168	406
		% within Sex	.5%	2.5%	.7%
	20-24	Count	2149	642	2791
		% within Sex	4.3%	9.4%	4.9%
	25-29	Count	8133	1216	9349
		% within Sex	16.2%	17.8%	16.3%
	30-39	Count	23895	2661	26556
		% within Sex	47.5%	38.9%	46.4%
	40-49	Count	11475	1329	12804
		% within Sex	22.8%	19.4%	22.4%
	50-59	Count	3175	427	3602
		% within Sex	6.3%	6.2%	6.3%
60-69	Count	902	157	1059	
	% within Sex	1.8%	2.3%	1.9%	
70+	Count	187	60	247	
	% within Sex	.4%	.9%	.4%	
Total	Count	50357	6842	57199	
	% within Sex	100.0%	100.0%	100.0%	

Cumulative AIDS Cases through 12/31/01
(from the 01/22/02 HARS data set)

Race-Ethnicity * Sex Crosstabulation

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	27621	1889	29510
		% within Sex	54.9%	27.6%	51.6%
	African American	Count	12627	3747	16374
		% within Sex	25.1%	54.8%	28.6%
	Hispanic	Count	9853	1173	11026
		% within Sex	19.6%	17.1%	19.3%
	Asian-Pacific Islander	Count	166	25	191
		% within Sex	.3%	.4%	.3%
	Am Indian-Alaskan	Count	73	6	79
		% within Sex	.1%	.1%	.1%
	Not Specified	Count	17	2	19
		% within Sex	.0%	.0%	.0%
	Total	Count	50357	6842	57199
		% within Sex	100.0%	100.0%	100.0%

Cumulative AIDS Cases through 12/31/01
(from the 01/22/02 HARS data set)

Mode of Exposure * Sex Crosstabulation

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	33099		33099
		% within Sex	65.7%		57.9%
	IDU	Count	5650	2354	8004
		% within Sex	11.2%	34.4%	14.0%
	M-M & IDU	Count	5198		5198
		% within Sex	10.3%		9.1%
	Hemophiliac	Count	244	9	253
		% within Sex	.5%	.1%	.4%
	Heterosexual Contact	Count	1994	2847	4841
		% within Sex	4.0%	41.6%	8.5%
	Transfusion	Count	425	246	671
		% within Sex	.8%	3.6%	1.2%
	Confirmed Other	Count		2	2
		% within Sex		.0%	.0%
	Not Classified	Count	3507	1186	4693
		% within Sex	7.0%	17.3%	8.2%
	Ped Hemophiliac	Count	54		54
		% within Sex	.1%		.1%
	Ped Parent at Risk	Count	161	169	330
		% within Sex	.3%	2.5%	.6%
	Ped Transfusion	Count	23	19	42
		% within Sex	.0%	.3%	.1%
	Ped Confirmed Other	Count		2	2
		% within Sex		.0%	.0%
	Ped Other-Undet	Count	2	8	10
		% within Sex	.0%	.1%	.0%
Total	Count	50357	6842	57199	
	% within Sex	100.0%	100.0%	100.0%	

Cumulative AIDS Cases through 12/31/01
(from the 01/22/02 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	92	29418	29510
		% within Adult-Ped	23.9%	51.8%	51.6%
	African American	Count	189	16185	16374
		% within Adult-Ped	49.1%	28.5%	28.6%
	Hispanic	Count	103	10923	11026
		% within Adult-Ped	26.8%	19.2%	19.3%
	Asian-Pacific Islander	Count	1	190	191
		% within Adult-Ped	.3%	.3%	.3%
	Am Indian-Alaskan	Count		79	79
		% within Adult-Ped		.1%	.1%
	Not Specified	Count		19	19
		% within Adult-Ped		.0%	.0%
Total	Count	385	56814	57199	
	% within Adult-Ped	100.0%	100.0%	100.0%	

Sex * Adult-Ped Crosstabulation

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	203	50154	50357
		% within Adult-Ped	52.7%	88.3%	88.0%
	Female	Count	182	6660	6842
		% within Adult-Ped	47.3%	11.7%	12.0%
Total		Count	385	56814	57199
		% within Adult-Ped	100.0%	100.0%	100.0%

Living AIDS Cases through 12/31/01
(from the 01/22/02 HARS data set)

Area = Texas

Age at Diagnosis * Sex Crosstabulation

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	23	29	52
		% within Sex	.1%	.7%	.2%
	1 (12-23 mo)	Count	14	15	29
		% within Sex	.1%	.4%	.1%
	2-4	Count	18	23	41
		% within Sex	.1%	.6%	.2%
	5-12	Count	19	20	39
		% within Sex	.1%	.5%	.2%
	13-19	Count	134	116	250
		% within Sex	.6%	2.8%	1.0%
	20-24	Count	920	407	1327
		% within Sex	4.3%	9.9%	5.2%
	25-29	Count	3111	758	3869
		% within Sex	14.7%	18.5%	15.3%
	30-39	Count	10300	1648	11948
		% within Sex	48.5%	40.1%	47.1%
	40-49	Count	5071	785	5856
		% within Sex	23.9%	19.1%	23.1%
	50-59	Count	1306	235	1541
		% within Sex	6.2%	5.7%	6.1%
60-69	Count	268	56	324	
	% within Sex	1.3%	1.4%	1.3%	
70+	Count	50	16	66	
	% within Sex	.2%	.4%	.3%	
Total	Count	21234	4108	25342	
	% within Sex	100.0%	100.0%	100.0%	

Living AIDS Cases through 12/31/01
(from the 01/22/02 HARS data set)

Current Age * Sex Crosstabulation

			Sex		Total
			Male	Female	
Current Age	1 (12-23 mo)	Count	1		1
		% within Sex	.0%		.0%
	2-4	Count	2	4	6
		% within Sex	.0%	.1%	.0%
	5-12	Count	48	60	108
		% within Sex	.2%	1.5%	.4%
	13-19	Count	30	43	73
		% within Sex	.1%	1.0%	.3%
	20-24	Count	202	134	336
		% within Sex	1.0%	3.3%	1.3%
	25-29	Count	778	427	1205
		% within Sex	3.7%	10.4%	4.8%
	30-39	Count	7820	1609	9429
		% within Sex	36.8%	39.2%	37.2%
	40-49	Count	8671	1286	9957
		% within Sex	40.8%	31.3%	39.3%
	50-59	Count	2895	404	3299
		% within Sex	13.6%	9.8%	13.0%
	60-69	Count	647	104	751
		% within Sex	3.0%	2.5%	3.0%
	70+	Count	139	37	176
		% within Sex	.7%	.9%	.7%
	Unknown	Count	1		1
		% within Sex	.0%		.0%
Total		Count	21234	4108	25342
		% within Sex	100.0%	100.0%	100.0%

Race-Ethnicity * Sex Crosstabulation

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	9977	1030	11007
		% within Sex	47.0%	25.1%	43.4%
	African American	Count	6172	2312	8484
		% within Sex	29.1%	56.3%	33.5%
	Hispanic	Count	4939	740	5679
		% within Sex	23.3%	18.0%	22.4%
	Asian-Pacific Islander	Count	93	19	112
		% within Sex	.4%	.5%	.4%
	Am Indian-Alaskan	Count	43	5	48
		% within Sex	.2%	.1%	.2%
	Not Specified	Count	10	2	12
		% within Sex	.0%	.0%	.0%
	Total	Count	21234	4108	25342
		% within Sex	100.0%	100.0%	100.0%

Living AIDS Cases through 12/31/01
(from the 01/22/02 HARS data set)

Mode of Exposure * Sex Crosstabulation

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	12845		12845
		% within Sex	60.5%		50.7%
	IDU	Count	2689	1319	4008
		% within Sex	12.7%	32.1%	15.8%
	M-M & IDU	Count	2175		2175
		% within Sex	10.2%		8.6%
	Hemophiliac	Count	68	4	72
		% within Sex	.3%	.1%	.3%
	Heterosexual Contact	Count	1199	1772	2971
		% within Sex	5.6%	43.1%	11.7%
	Transfusion	Count	91	66	157
		% within Sex	.4%	1.6%	.6%
	Not Classified	Count	2070	849	2919
		% within Sex	9.7%	20.7%	11.5%
	Ped Hemophiliac	Count	24		24
		% within Sex	.1%		.1%
	Ped Parent at Risk	Count	64	88	152
		% within Sex	.3%	2.1%	.6%
	Ped Transfusion	Count	8	2	10
		% within Sex	.0%	.0%	.0%
	Ped Confirmed Other	Count		1	1
		% within Sex		.0%	.0%
	Ped Other-Undet	Count	1	7	8
		% within Sex	.0%	.2%	.0%
Total		Count	21234	4108	25342
		% within Sex	100.0%	100.0%	100.0%

Race-Ethnicity * Adult-Ped Crosstabulation

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	33	10974	11007
		% within Adult-Ped	20.5%	43.6%	43.4%
	African American	Count	80	8404	8484
		% within Adult-Ped	49.7%	33.4%	33.5%
	Hispanic	Count	48	5631	5679
		% within Adult-Ped	29.8%	22.4%	22.4%
	Asian-Pacific Islander	Count		112	112
		% within Adult-Ped		.4%	.4%
	Am Indian-Alaskan	Count		48	48
		% within Adult-Ped		.2%	.2%
	Not Specified	Count		12	12
		% within Adult-Ped		.0%	.0%
Total		Count	161	25181	25342
		% within Adult-Ped	100.0%	100.0%	100.0%

Living AIDS Cases through 12/31/01
(from the 01/22/02 HARS data set)

Sex * Adult-Ped Crosstabulation

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	74	21160	21234
		% within Adult-Ped	46.0%	84.0%	83.8%
	Female	Count	87	4021	4108
		% within Adult-Ped	54.0%	16.0%	16.2%
Total		Count	161	25181	25342
		% within Adult-Ped	100.0%	100.0%	100.0%

Prevalent Cases of HIV/AIDS through 12/31/01
(Living HIV/AIDS Cases - combined - from 01/22/02 HARS data)

Area = Texas

Age at Diagnosis * Sex Crosstabulation

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	111	109	220
		% within Sex	.4%	1.5%	.6%
	1 (12-23 mo)	Count	32	40	72
		% within Sex	.1%	.5%	.2%
	2-4	Count	42	42	84
		% within Sex	.1%	.6%	.2%
	5-12	Count	53	39	92
		% within Sex	.2%	.5%	.3%
	13-19	Count	283	470	753
		% within Sex	1.0%	6.4%	2.1%
	20-24	Count	1744	1002	2746
		% within Sex	6.0%	13.7%	7.6%
	25-29	Count	4478	1314	5792
		% within Sex	15.5%	17.9%	16.0%
	30-39	Count	13520	2587	16107
		% within Sex	46.6%	35.3%	44.4%
	40-49	Count	6601	1246	7847
		% within Sex	22.8%	17.0%	21.6%
	50-59	Count	1695	372	2067
		% within Sex	5.8%	5.1%	5.7%
	60-69	Count	347	81	428
		% within Sex	1.2%	1.1%	1.2%
	70+	Count	67	24	91
		% within Sex	.2%	.3%	.3%
	Unknown	Count	9	1	10
		% within Sex	.0%	.0%	.0%
Total		Count	28982	7327	36309
		% within Sex	100.0%	100.0%	100.0%

Prevalent Cases of HIV/AIDS through 12/31/01
(Living HIV/AIDS Cases - combined - from 01/22/02 HARS data)

Current Age * Sex Crosstabulation

			Sex		Total
			Male	Female	
Current Age	0 (0-11 mo)	Count	8	2	10
		% within Sex	.0%	.0%	.0%
	1 (12-23 mo)	Count	8	8	16
		% within Sex	.0%	.1%	.0%
	2-4	Count	33	30	63
		% within Sex	.1%	.4%	.2%
	5-12	Count	134	150	284
		% within Sex	.5%	2.0%	.8%
	13-19	Count	87	181	268
		% within Sex	.3%	2.5%	.7%
	20-24	Count	716	613	1329
		% within Sex	2.5%	8.4%	3.7%
	25-29	Count	1776	996	2772
		% within Sex	6.1%	13.6%	7.6%
	30-39	Count	11004	2668	13672
		% within Sex	38.0%	36.4%	37.7%
	40-49	Count	10779	1897	12676
		% within Sex	37.2%	25.9%	34.9%
	50-59	Count	3507	590	4097
		% within Sex	12.1%	8.1%	11.3%
	60-69	Count	765	146	911
		% within Sex	2.6%	2.0%	2.5%
	70+	Count	161	45	206
		% within Sex	.6%	.6%	.6%
	Unknown	Count	4	1	5
		% within Sex	.0%	.0%	.0%
Total		Count	28982	7327	36309
		% within Sex	100.0%	100.0%	100.0%

Prevalent Cases of HIV/AIDS through 12/31/01
(Living HIV/AIDS Cases - combined - from 01/22/02 HARS data)

Race-Ethnicity * Sex Crosstabulation

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	13134	1744	14878
		% within Sex	45.3%	23.8%	41.0%
	African American	Count	9015	4257	13272
		% within Sex	31.1%	58.1%	36.6%
	Hispanic	Count	6587	1276	7863
		% within Sex	22.7%	17.4%	21.7%
	Asian-Pacific Islander	Count	134	25	159
		% within Sex	.5%	.3%	.4%
	Am Indian-Alaskan	Count	61	9	70
		% within Sex	.2%	.1%	.2%
	Not Specified	Count	51	16	67
		% within Sex	.2%	.2%	.2%
	Total	Count	28982	7327	36309
		% within Sex	100.0%	100.0%	100.0%

Mode of Exposure * Sex Crosstabulation

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	16673		16673
		% within Sex	57.5%		45.9%
	IDU	Count	3707	2018	5725
		% within Sex	12.8%	27.5%	15.8%
	M-M & IDU	Count	2856		2856
		% within Sex	9.9%		7.9%
	Hemophiliac	Count	76	6	82
		% within Sex	.3%	.1%	.2%
	Heterosexual Contact	Count	1690	3003	4693
		% within Sex	5.8%	41.0%	12.9%
	Transfusion	Count	103	83	186
		% within Sex	.4%	1.1%	.5%
	Not Classified	Count	3616	1976	5592
		% within Sex	12.5%	27.0%	15.4%
	Ped Hemophiliac	Count	34	1	35
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	197	215	412
		% within Sex	.7%	2.9%	1.1%
	Ped Transfusion	Count	9	6	15
		% within Sex	.0%	.1%	.0%
	Ped Confirmed Other	Count		1	1
		% within Sex		.0%	.0%
	Ped Other-Undet	Count	21	18	39
		% within Sex	.1%	.2%	.1%
	Total	Count	28982	7327	36309
		% within Sex	100.0%	100.0%	100.0%

Prevalent Cases of HIV/AIDS through 12/31/01
(Living HIV/AIDS Cases - combined - from 01/22/02 HARS data)

Race-Ethnicity * Adult-Ped Crosstabulation

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	99	14772	7	14878
		% within Adult-Ped	21.2%	41.2%	70.0%	41.0%
	African American	Count	249	13023		13272
		% within Adult-Ped	53.2%	36.3%		36.6%
	Hispanic	Count	111	7749	3	7863
		% within Adult-Ped	23.7%	21.6%	30.0%	21.7%
	Asian-Pacific Islander	Count	1	158		159
		% within Adult-Ped	.2%	.4%		.4%
	Am Indian-Alaskan	Count		70		70
		% within Adult-Ped		.2%		.2%
	Not Specified	Count	8	59		67
		% within Adult-Ped	1.7%	.2%		.2%
Total	Count	468	35831	10	36309	
	% within Adult-Ped	100.0%	100.0%	100.0%	100.0%	

Sex * Adult-Ped Crosstabulation

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	238	28735	9	28982
		% within Adult-Ped	50.9%	80.2%	90.0%	79.8%
	Female	Count	230	7096	1	7327
		% within Adult-Ped	49.1%	19.8%	10.0%	20.2%
Total		Count	468	35831	10	36309
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%